

Grades Kindergarten – 6

In ungraded classrooms, Kindergarten requirements apply to all students ≥ 5 years.

DTaP	5 doses; 4 doses are acceptable if the 4 th dose is given on or after the 4 th birthday. DT is only acceptable with a letter stating a medical contraindication to DTaP.
Polio	4 doses; 4 th dose must be given on or after the 4 th birthday and ≥ 6 months after the previous dose, or a 5 th dose is required. 3 doses are acceptable if the 3 rd dose is given on or after the 4 th birthday and ≥ 6 months after the previous dose.
Hepatitis B	3 doses; laboratory evidence of immunity acceptable
MMR	2 doses; first dose must be given on or after the 1 st birthday and the 2 nd dose must be given ≥ 28 days after dose 1; laboratory evidence of immunity acceptable
Varicella	2 doses; first dose must be given on or after the 1 st birthday and 2 nd dose must be given ≥ 28 days after dose 1; a reliable history of chickenpox* or laboratory evidence of immunity acceptable

Grades 7 – 12

In ungraded classrooms, Grade 7 requirements apply to all students ≥ 12 years.

Tdap	1 dose; and history of DTaP primary series or age appropriate catch-up vaccination. Tdap given at ≥ 7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule. Td or Tdap should be given if it has been ≥ 10 years since Tdap.
Polio	4 doses; 4 th dose must be given on or after the 4 th birthday and ≥ 6 months after the previous dose, or a 5 th dose is required. 3 doses are acceptable if the 3 rd dose is given on or after the 4 th birthday and ≥ 6 months after the previous dose.
Hepatitis B	3 doses; laboratory evidence of immunity acceptable. 2 doses of Hepisav-B given on or after 18 years of age are acceptable.
MMR	2 doses; first dose must be given on or after the 1 st birthday and the 2 nd dose must be given ≥ 28 days after first dose; laboratory evidence of immunity acceptable
Varicella	2 doses; first dose must be given on or after the 1 st birthday and 2 nd dose must be given ≥ 28 days after first dose; a reliable history of chickenpox* or laboratory evidence of immunity acceptable
MenACWY (formerly MCV4)	Grades 7: 1 dose; MenACWY required. Grades 11: 2 doses; 2 nd dose MenACWY must be given on or after the 16th birthday and ≥ 8 weeks after the previous dose. 1 dose is acceptable if it was given on or after the 16th birthday. Meningococcal B vaccine is not required and does not meet this requirement.

Campers, staff and volunteers 18 years of age and older

MMR	2 doses, anyone born in or after 1957. 1 dose, anyone born before 1957 outside the U.S. Anyone born in the U.S. before 1957 is considered immune. Laboratory evidence of immunity to measles, mumps and rubella is acceptable
Varicella	2 doses, anyone born in or after 1980 in the U.S., and anyone born outside the U.S. Anyone born before 1980 in the U.S. is considered immune. A reliable history of chickenpox or laboratory evidence of immunity is acceptable
Tdap	1 dose; and history of DTaP primary series or age appropriate catch-up vaccination. Tdap given at ≥ 7 years may be counted, but a dose at age 11-12 is recommended if Tdap was given earlier as part of a catch-up schedule; Td or Tdap should be given if it has been ≥ 10 years since Tdap
Hepatitis B	3 doses (or 2 doses of Hepisav-B) for staff whose responsibilities include first aid; laboratory evidence of immunity is acceptable

*A reliable history of chickenpox includes a diagnosis of chickenpox, or interpretation of parent/guardian description of chickenpox, by physician, nurse practitioner, physician assistant or designee.